



SITE IMPROVEMENT NOTES

1. PROVIDE 7 FT HIGH PERIMETER FENCING AROUND ARRAY SECTION PER DETAIL 1/C3.0. PROVIDE SIGNS MOUNTED ON FENCE PER DETAIL 1/C3.0 AND 5/C3.0.
 2. PROVIDE 16 FT WIDE DOUBLE SWING GATE, MATCH ADJACENT FENCE HEIGHT. SEE DETAIL 2/C3.0.
 3. PROVIDE 12 FT WIDE GRAVEL SITE ENTRANCE DRIVE PER DETAIL 4/C3.0.
 4. PROVIDE CONCRETE PAD FOR ELECTRICAL EQUIPMENT. PROVIDE CONNECTION TO OVERHEAD SERVICE. SEE DETAIL 6/C3.0.
 5. PROVIDE CONNECTION TO EXISTING ELECTRIC SERVICE. SEE DETAIL 6/C3.0.
 6. PROVIDE ELECTRIC POLE AND OVERHEAD WIRES WHERE INDICATED. REFER TO ELECTRICAL DRAWINGS FOR DETAIL.
 7. CLEAR TREES AND BRUSH TO EXTENTS SHOWN BY HATCH. TREES TO BE DESTUMPED A MINIMUM OF 6 INCHES BELOW GRADE.
- GRADING NOTES:**
1. EXISTING SOIL STOCKPILES ONSITE TO BE USED FOR SOIL RESTORATION AND FINE GRADING. TOPOGRAPHIC INFORMATION SHOWN REPRESENTS FINAL GRADING.
 2. PLACE FILL MATERIAL IN CONTINUOUS LAYERS NOT EXCEED 6' LIFTS.
 3. COMPACTION OF FILL MATERIALS SHALL ACHIEVE 95% OF DRY DENSITY AS MEASURED BY A PROCTOR TEST.

AIRPORT CORPORATE PARK
HUNT 100 HUNT CENTER HORSEHEADS, NY 14845
 INN/FAIR/INN/HOTEL/INN/INN/FAX
 ROCHester, NY HORSEHEADS, NY TOWANDA, PA

SITE IMPROVEMENT AND LANDSCAPING PLAN
PFISTER ENERGY
CANANDAIGUA SOLAR ARRAY
 4620 CO RD 46, CANANDAIGUA, NEW YORK

DRAWN BY :
 TPD
CHECKED BY :
 PEC
DATE :
 6/24/16
SCALE :
 1" = 50'
 BY:
 PEC

#	DATE:	DESCRIPTION OF REVISION:
1	5/26/16	FILL SPECIFICATIONS ADDED

"Unauthorized Alteration Or Addition To Plans Bearing A Licensed Engineer's Or Architects Seal, Is A Violation Of Section 7209 Of The New York State Education Law."

PROJECT NO:
 3076.003

PLANTING SCHEDULE

QUAN	ID	BOTANICAL NAME	COMMON NAME	SIZE
8	AB	ABIES BALSAMEA	BALSAM FIR	6'-7'
10	PG	PICEA GLAUCA 'DENSATA'	BLACK HILLS SPRUCE	6'-7'