

RECEIVED

TOWN OF CANANDAIGUA
DEVELOPMENT OFFICE

FOR REVIEW

SOIL EROSION AND SEDIMENT CONTROL PERMIT APPLICATION

(Standards Approved by Town: NY Guidelines for Urban Erosion and Sedimentation Control)

APR 12 2016

ON-SITE INSPECTION REQUIRED PRIOR TO THE ISSUANCE OF A BUILDING PERMITDate: April 6, 2016Zoning District: RLD - RESIDENTIAL
LAKESHORE DISTRICTSite Location: 4629 West Lake Road, Canandaigua, NY 14424Size of Site (Acres/ Sq.Ft.): 1,500 SQ. FT. Tax Map Number 322400 140.11-1-9.000Property Owner Name and Address: Joseph E. Fitzpatrick, Jr. Trust4629 West Lake Road, Canandaigua, NY 14424Telephone / Fax # 585-394-2119 E-mail address: thechapel@rochester.rr.comDescription of proposed activity: Removal of steel/wood bulk head and installation of permanent erosion control by means of a rock rip-rap stabilization shore line to maintain the existing natural slope of the shore.

Per Chapter 165 §165-10-B, at a <u>minimum</u> , the map, plan or sketch prepared shall include the following:	Shown on Plan Yes / No	Initial Review	Follow Up Review
1. Boundaries of the subject parcel and other parcels adjacent to the site which may be materially affected by the action.	YES		
2. Existing features including structures, roads, water courses, utility lines, etc. on the subject parcel and on adjacent parcels where appropriate.	YES		
3. Existing vegetative cover including wooded areas, grass, brush, or other on the subject parcel and on adjacent properties where appropriate.	YES		
4. Limits or extent of excavation, filling, and/or grading proposed to be undertaken.	YES		
5. The disposition of soil and top soil, whether on site or off site, and the locations of any stockpiles to be placed on site.	YES		
6. Temporary and permanent drainage, erosion and sedimentation control facilities including ponds, sediment basins, swales, energy dissipation devices, silt fences and/or straw bale locations.	YES		
7. The location of proposed roads, driveways, sidewalks, structures, utilities and other improvements.	YES		
8. Final contours of the site in intervals adequate to depict slopes and drainage details on the site.	YES		

Per Chapter 165 §165-10-B, at a <u>minimum</u> , the map, plan or sketch prepared shall include the following:		Shown on Plan Yes / No	Initial Review	Follow Up Review
9. A time schedule indicating: a. When major phases of the proposed project are to be initiated and completed; b. When major site preparation activities are to be initiated and completed; c. When the installation of temporary and permanent vegetation and drainage, erosion and sediment control facilities is to be completed; and d. The anticipated duration (in days) of exposure of all major areas of site preparation before the installation of erosion and sediment control measures.		YES		
		YES		
		YES		
		YES		
Other Information Required to be Provided:		Shown on Plan Yes / No	Initial Review	Follow Up Review
10. What is the general topography and slope of the subject property (in %): <u>The land slopes at a 55% grade to the beach. The beach and project site has a very gradual slope (<1%) to flat.</u>		YES		
11. How much area (in square feet) and/or volume (in cubic yards) will be disturbed? <u>Area ~ 1,060 Square Feet</u>		YES		
12. Does the subject property drain offsite? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, where does it drain to and how will it affect offsite properties? <u>The area drains to Canandaigua Lake. The Lake will not be affected during or after construction due to temporary (silt fence) and permanent (rock) erosion and sediment control facilities to be installed.</u>		YES		
13. How will erosion be controlled on site to protect catch basins from silt? <u>There are no catch basins on site. Temporary (silt fence) and permanent (rock) erosion and sediment control facilities will be installed to prevent erosion into the lake.</u>		YES		
14. If sedimentation basins are proposed, where will they overflow to if they become clogged? Describe: <u>Not applicable for this project.</u>		N/A		
15. Is there any offsite drainage to subject property? Yes <input type="checkbox"/> <input checked="" type="checkbox"/> No If yes, where does the drainage come from? _____		YES		

Other Information Required to be Provided:	Shown on Plan Yes / No	Initial Review	Follow Up Review
16. How will off site water courses be protected? <u>Not applicable for this project.</u>	N/A		
17. How will any adjacent roadside ditches or culverts be protected during construction? <u>Not applicable for this project.</u>	N/A		
18. Has the appropriate highway superintendent been contacted? Yes <input checked="" type="checkbox"/> No Name of the person contacted and date contacted: <u>Not applicable for this project.</u>	N/A		
20. Is existing vegetation proposed to be removed? Yes <input checked="" type="checkbox"/> No (If yes, the vegetation to be removed must be identified on the plan.)	N/A		
21. Will any temporary seeding be used to cover disturbed areas? Yes <input checked="" type="checkbox"/> No If yes, a note shall be added to the plans.	N/A		
22. What plans are there for permanent revegetation? Describe: <u>No existing vegetation will be disturbed. The final product will result in stone placement.</u>	N/A		
23. How long will project take to complete? <u>Approximately two weeks from the notice to proceed date.</u>	YES		
24. What is the cost estimate to install and maintain erosion and sedimentation control facilities before, during, and after construction? <u><\$500; Rock will be reused and the silt fence is relatively minimal. This does not include the new rock that will be placed as permanent erosion control.</u>	YES		

Attach additional sketches, calculations, details *as needed* to this form.

Form prepared by: Marc Maser, P.E., PMP; Maser Engineering

Date: April 6, 2016

***Property Owner is responsible for any consultant fees*
(Town Engineer, Town Attorney, etc.) incurred during the application process.
*See Town Clerk for current Fee Schedule***

The undersigned represents and agrees as a condition to the issuance of these permits that the development will be accomplished in accordance with the Town Soil Erosion and Sedimentation Control Law, the New York State Uniform Fire Prevention and Building Code, and the plans and specifications annexed hereto.

Owner's Signature: Kenneth W. Schwaig, Trustee

Date: April 12, 2016


PERMIT CANNOT BE ISSUED WITHOUT PROPERTY OWNER SIGNATURE

Please **DO NOT** send payment with this application.
Payment shall not be made until the fee is determined & the permit is issued.

For Office Use Only

Application requires further review by Planning Board and/or Zoning Board of Appeals.

☒ Yes ☐ No


Reviewed By

4/12/2016
Date

Flood Zone _____ FEMA Panel # _____ Floodplain Development Permit Required? Yes / No

Within environmentally sensitive, open, deed restricted or conservation easement area? Yes / No

Code Enforcement Officer

Date

Permit Fee: \$ _____

Permit #: _____