## Full Environmental Assessment Form Part 1 - Project and Setting

## **Instructions for Completing Part 1**

Part 1 is to be completed by the applicant or project sponsor. Responses become part of the application for approval or funding, are subject to public review, and may be subject to further verification.

Complete Part I based on information currently available. If additional research or investigation would be needed to fully respond to any item, please answer as thoroughly as possible based on current information; indicate whether missing information does not exist, or is not reasonably available to the sponsor; and, when possible, generally describe work or studies which would be necessary to update or fully develop that information.

Applicants/sponsors must complete all items in Sections A & B. In Sections C, D & E, most items contain an initial question that must be answered either "Yes" or "No". If the answer to the initial question is "Yes", complete the sub-questions that follow. If the answer to the initial question is "No", proceed to the next question. Section F allows the project sponsor to identify and attach any additional information. Section G requires the name and signature of the applicant or project sponsor to verify that the information contained in Part 1 is accurate and complete.

## A. Project and Applicant/Sponsor Information.

Name of Action or Project:	Level 190	
Pierce Brook Subdivision		
Project Location (describe, and attach a general location map):		
State Route 21 South & Parrish St Extension		
Brief Description of Proposed Action (include purpose or need):		No. of the state o
The project site is 95.0 +/- acres located at the southeast corner of Bristol Road and Charle applicant is proposing to construct 92 for-sale townhome units in a configuration the open space is the existing 16.2 acres of constrained lands to be (preserved). Natural so the Town Park and Town Trail system are among the amenities to be provided in the Site development features in association with the proposed project include buried utility driveways, storm water infrastructure, grading, landscaping, and other associated consistences the site. A 100' structure setback is being provided along the stream corridor.	eat maintains approximately 72 a surface trails, preserved/protecte e open space area. es and service connections, sign	acres as open space. Included in the ed open space, and a pedestrian link nage, town dedicated roads,
Name of Applicant/Sponsor:	Telephone: 585-249-8	3100
ott Morrell, Morrell Builders  E-Mail: scott.morrell@morrellbuilders.com		
Address: 1501 Pittsford-Victor Rd, Ste 100		
City/PO: Victor	State: NY	Zip Code: 14564
Project Contact (if not same as sponsor; give name and title/role):	Telephone:	
	E-Mail:	
Address:		
City/PO:	State:	Zip Code:
Property Owner (if not same as sponsor):	Telephone:	
	E-Mail:	, y
Address:	-	
City/PO:	State:	Zip Code:

## **B.** Government Approvals

B. Government Approvals, Funding, or Spot assistance.)	nsorship. ("Funding" includes grants, loans, ta			
Government Entity	If Yes: Identify Agency and Approval(s) Required	Applicatio (Actual or p		
a. City Counsel, Town Board, ☐ Yes ▶ No or Village Board of Trustees				
b. City, Town or Village ✓ Yes ☐ No Planning Board or Commission	Planning Board - Site/subdivision Plan Appvl	June 2021		
c. City, Town or ☐Yes ☑No Village Zoning Board of Appeals				
d. Other local agencies ☐Yes ☑No				
e. County agencies ✓ Yes ☐ No	Ontario Co DPW - Sanitary Sewer, Sewer District Extension	June 2021		
f. Regional agencies ☐Yes ✓No				
g. State agencies	NYSDOH, NYSDEC, NYSHPO, NYSDOT Water, Sewer, Subdvn, Archaeological, Entrance	June 2021		
h. Federal agencies	USACOE - Wetland	2022 / 2023		
<ul> <li>ii. Is the project site located in a community iii. Is the project site within a Coastal Erosio</li> <li>C. Planning and Zoning</li> <li>C.1. Planning and zoning actions.</li> <li>Will administrative or legislative adoption, or a only approval(s) which must be granted to ena</li> <li>If Yes, complete sections C, F and G.</li> <li>If No, proceed to question C.2 and co</li> </ul>	amendment of a plan, local law, ordinance, rule able the proposed action to proceed?	or regulation be the	Yes No Yes No	
C.2. Adopted land use plans.	llage or county) comprehensive land use plan(s	) include the site	<b>∠</b> Yes□No	
where the proposed action would be located	? existic recommendations for the site where the		<b>∠</b> Yes□No	
<ul> <li>b. Is the site of the proposed action within any local or regional special planning district (for example: Greenway; Brownfield Opportunity Area (BOA); designated State or Federal heritage area; watershed management plan; or other?)</li> <li>If Yes, identify the plan(s):</li> </ul>				
c. Is the proposed action located wholly or particle or an adopted municipal farmland protection of the plan(s):	rtially within an area listed in an adopted munic on plan?	ipal open space plan,	□Yes ☑No	

C.3. Zoning	
a. Is the site of the proposed action located in a municipality with an adopted zoning law or ordinance.  If Yes, what is the zoning classification(s) including any applicable overlay district?  SCR-1 Southern Corridor Residential District; R-1-20 Residential District	<b>☑</b> Yes <b>□</b> No
b. Is the use permitted or allowed by a special or conditional use permit?	<b>∠</b> Yes No
c. Is a zoning change requested as part of the proposed action?  If Yes,  i. What is the proposed new zoning for the site?	☐ Yes <b>Z</b> No
C.4. Existing community services.	
a. In what school district is the project site located? Canandaigua City School District	
b. What police or other public protection forces serve the project site?  Canandaigua City Police, Ontario County Sheriff	
c. Which fire protection and emergency medical services serve the project site?  Canandaigua EMS, Cheshire Fire District	
d. What parks serve the project site?  Telyea Park, Canandaigua Lake State Marine Park, Overlook Lane Park	
D. Project Details	
D.1. Proposed and Potential Development	
a. What is the general nature of the proposed action (e.g., residential, industrial, commercial, recreational; if mixe components)? Residential	ed, include all
b. a. Total acreage of the site of the proposed action?  b. Total acreage to be physically disturbed?  c. Total acreage (project site and any contiguous properties) owned or controlled by the applicant or project sponsor?  95+/- acres  95+/- acres	
c. Is the proposed action an expansion of an existing project or use?  i. If Yes, what is the approximate percentage of the proposed expansion and identify the units (e.g., acres, mile square feet)? % Units:	☐ Yes ☑ No ss, housing units.
<ul> <li>d. Is the proposed action a subdivision, or does it include a subdivision?</li> <li>If Yes,</li> <li>i. Purpose or type of subdivision? (e.g., residential, industrial, commercial; if mixed, specify types)</li> <li>Residential</li> </ul>	<b>☑</b> Yes □No
<ul> <li>ii. Is a cluster/conservation layout proposed?</li> <li>iii. Number of lots proposed? 92</li></ul>	<b>☑</b> Yes □No
e. Will the proposed action be constructed in multiple phases?  i. If No, anticipated period of construction:  ii. If Yes:  • Total number of phases anticipated • Anticipated commencement date of phase I (including demolition) • Anticipated completion date of final phase • Generally describe connections or relationships among phases, including any contingencies where progradetermine timing or duration of future phases:  3 sections from north to south (Bristol Rd to Parrish St Ext) in roughly equal sizes	

f Door the project	t include new resid	ential uses?			<b>∠</b> Yes <b>N</b> o
If Vec chow num	there of units propo	sed			
II I Cs., snow nam	One Family	Two Family	Three Family	Multiple Family (four or more)	
		7110 2 001111			į
Initial Phase	34				
At completion	00				
of all phases	92				
	and notion include:	now non recidentia	Leonetruction (inch	uding expansions)?	☐Yes No
g. Does the proper If Yes.	sed action include	new non-residentia	Construction (men	duling expansions).	
	of structures				
ii Dimensions (	in feet) of largest n	onosed structure	heioht:	width; andlength	
iii Approximate	evtent of building s	space to be beated (	noight,	square feet	
m. Approximate	extent of banding s				E Vas E No
h. Does the propo	sed action include	construction or other	er activities that wil	ll result in the impoundment of any	<b>∠</b> Yes □No
	s creation of a wate	r supply, reservoir,	pond, lake, waste l	agoon or other storage?	
If Yes,			4 f = -:104:		
i. Purpose of the	impoundment: Sto	rmwater managemen	t facilities	Ground water Surface water stream	ns Other specify.
	oundment, the princ	apai source of the	water.	Ground water Surface water stream	ns Louier speerry.
stormwater rund	vater, identify the ty	na of impounded/a	ontained liquids an	nd their source	
iii. If other than v	vater, identity the ty	pe or impounded/e	omanica nquias an	d their source.	
iv Approximate	size of the propose	d impoundment	Volume:	2.07 million gallons; surface area:	2.7 acres
v. Approximate	f the proposed dam	or impounding stri	icture: 1	0' height: 800 lf length	
vi Construction	method/materials f	or the proposed day	n or impounding st	0' height; 800 ff length tructure (e.g., earth fill, rock, wood, cond	crete):
vi. Construction	inemod materials i	or the proposed day	op :	, , , ,	,
D.2. Project Op	erations				
		<u> </u>		1 an artistical constitution or bath?	∏Yes <b>⋈</b> No
a. Does the propo	sed action include:	any excavation, mi	ning, or areaging, c	during construction, operations, or both?	☐ I es ► Ivo
(Not including	general site prepara	ition, grading or ins	stallation of utilities	s or foundations where all excavated	
materials will r	emain onsite)				
If Yes:	C.1				
i. what is the pu	irpose of the excava	ation or areaging:	ata ) is proposed	to be removed from the site?	
	(specify tons or cul				
• Over wh	nat duration of time	·		lged, and plans to use, manage or dispose	a of them
iii. Describe natu	re and characteristic	es of materials to be	e excavated or dred	iged, and plans to use, manage of disposi	5 Of them.
i Will though a	onsite dewatering	or processing of ev	cavated materials?		Yes No
ii yes, descri	be				
	. 1 . 1 1 1	1		oorac	
v. What is the to	tal area to be dredg	ed or excavated?	time of	acres acres	
vi. What is the m	naximum area to be	worked at any one	time?		
	be the maximum de		r areaging:	fcet	□Yes□No
	avation require blas				
ix. Summarize sit	te reclamation goals	and plan:			
b. Would the pro	posed action cause	or result in alteration	on of, increase or de	ecrease in size of, or encroachment	✓ Yes No
	ng wetland, waterb	ody, shoreline, bea	ch or adjacent area	?	
If Yes:					1.1
•		ly which would be:	affected (by name,	water index number, wetland map numb	er or geographic
description):	Riverine wetland				

### Will the proposed action cause or result in disturbance to bottom sediments?    Yes   No   If Yes   Asserbe:   Yes   No   If Yes	ii. Describe how the proposed action would affect that waterbody or wetland, e.g. excavation, fill, placement of structures, or alteration of channels, banks and shorelines. Indicate extent of activities, alterations and additions in square feet or acres:  Remove existing culvert. New road & utility crossing, less than 1 acre.				
If Yes, describe:  // Will the proposed action cause or result in the destruction or removal of aquatic vegetation?  If Yes  - acres of aquatic vegetation proposed to be removed:  - expected acreage of aquatic vegetation remaining after project completion:  - purpose of proposed removal (e.g., beach clearing, invasive species control, boat access):  - proposed method of plant removal:  - if chemical/herbicide treatment will be used, specify product(s):  - bescribe any proposed reclamation/mitigation following disturbance:  - Will the proposed action use, or create a new demand for water?  - Wes!  - Will the proposed action use, or create a new demand for water?  - Wes!  - Total anticipated water usage/demand per day:  - Name of district or service area: Canandagua Consolidated Where Detanted  - Does the existing public water supply have capacity to serve the proposal?  - It is the project site in the existing district?  - Does the existing lines serve the project site?  - Describe extension within an existing district be necessary to supply the project?  - Describe extensions or capacity expansions proposed to serve this project?  - New ** watermain along the proposed street connecting between Bristol Rul & Parrish BI Est.  - Surcetys of supply for the district: Town of Canandagua Water Supply  /* Is a new water supply district or service area proposed to be formed to serve the project site?  - Proposed source(s) of supply for new district:  - Date application submitted or anticipated:  - Proposed source(s) of supply for new district:  - Date application submitted or anticipated:  - Proposed source(s) of supply for new district:  - Vif. If water supply will not be used. describe plans to provide water supply for the proje	Nemiove existing curvert. New road & utility crossing, less than 1 acre.				
If Yes, describe:  // Will the proposed action cause or result in the destruction or removal of aquatic vegetation?  If Yes  - acres of aquatic vegetation proposed to be removed:  - expected acreage of aquatic vegetation remaining after project completion:  - purpose of proposed removal (e.g., beach clearing, invasive species control, boat access):  - proposed method of plant removal:  - if chemical/herbicide treatment will be used, specify product(s):  - bescribe any proposed reclamation/mitigation following disturbance:  - Will the proposed action use, or create a new demand for water?  - Wes!  - Will the proposed action use, or create a new demand for water?  - Wes!  - Total anticipated water usage/demand per day:  - Name of district or service area: Canandagua Consolidated Where Detanted  - Does the existing public water supply have capacity to serve the proposal?  - It is the project site in the existing district?  - Does the existing lines serve the project site?  - Describe extension within an existing district be necessary to supply the project?  - Describe extensions or capacity expansions proposed to serve this project?  - New ** watermain along the proposed street connecting between Bristol Rul & Parrish BI Est.  - Surcetys of supply for the district: Town of Canandagua Water Supply  /* Is a new water supply district or service area proposed to be formed to serve the project site?  - Proposed source(s) of supply for new district:  - Date application submitted or anticipated:  - Proposed source(s) of supply for new district:  - Date application submitted or anticipated:  - Proposed source(s) of supply for new district:  - Vif. If water supply will not be used. describe plans to provide water supply for the proje		□Vas □Na			
If Yes I	If Yes, describe:	1 cs <b>\</b> 100			
expected acreage of aquatic vegetation proposed to he removed:  expected acreage of aquatic vegetation remaining after project completion:  purpose of proposed method of plant removal;  if chemical/her/hicide treatment will be used, specify product(s);  Describe any proposed action use, or create a new demand for water?  [Yes:    Data anticipated water usage/demand per day;	iv. Will the proposed action cause or result in the destruction or removal of aquatic vegetation?	☐ Yes <b>☑</b> No			
expected acreage of aquatic vegetation remaining after project completion: purpose of proposed method of plant removal (e.g. beach clearing, invasive species control, boat access): proposed method of plant removal: if chemical/herbicide treatment will be used, specify product(s): v. Describe any proposed action use, or create a new demand for water? fortial anticipated water usage/demand per day: i. Total anticipated water usage/demand per day: i. Will the proposed action obtain water from an existing public water supply? if yes:  Name of district or service area: Canandaigua Consolidated Water District  Does the existing public water supply have capacity to serve the proposal? is the project site in the existing district? between the project site in the existing district? between the project site in the existing district be necessary to supply the project? If yes:  Does the existing fines serve the project site?  Doe extension within an existing district be necessary to supply the project?  West No iii. Will line extension within an existing district be necessary to supply the project?  Now 8" watermain along the proposed street, connecting between Bristol Rd. & Parrish St Ext.  Source(s) of supply for the district. Town of Canandaigua Water Supply  iv. Is a new water supply district or service area proposed to be formed to serve the project site?  Applicant/sponsor for new district:  Date application submitted or anticipated:  Proposed source(s) of supply for new district:  Date application submitted or anticipated:  Proposed source(s) of supply for new district:  Application submitted or anticipated:  Proposed source(s) of supply for new district:  Name of district Canandaigua Lake County Sewer District  And approximate volumes or proportions of each):  Sanitary Wastewater  Name of district: Canandaigua Lake County Sewer District  Name of Gistrict: Canandaigua Lake County Sewer District  Sanitary Wastewater  Pyes No  Does the existing wastewater treatment plant to be used: City of Canandaigua  Name of distri					
purpose of proposed removal (e.g. beach clearing, invasive species control, boat access):  proposed method of plant removal: if chemical/herbicide treatment will be used, specify product(s): v Describe any proposed reclamation/mitigation following disturbance:  c. Will the proposed action use, or create a new demand for water? [TYes: i. Total anticipated water usage/demand per day: ii. Will the proposed action obtain water from an existing public water supply?    Yes   No					
proposed method of plant removal: if chemical/herbicide treatment will be used, specify product(s): v. Describe any proposed reclamation/mitigation following disturbance:  c. Will the proposed action use, or create a new demand for water? If yes: l Total anticipated water usage/demand per day: li. Will the proposed action obtain water from an existing public water supply? lifyes:  Name of district or service area: Canandaigua Consolidated Water District  Does the existing public water supply have capacity to serve the proposal? lifyes: ls the project site in the existing district? ls expansion of the district needed? ls texpansion of the district needed? ls expansion of the district needed? Does disting lines serve the project site? lifyes:  Describe extensions within an existing district be necessary to supply the project? lifyes:  Describe extensions or capacity expansions proposed to serve this project: New 8* watermann along the proposed street, connecting between Bristol Rd & Parrish St Ext.  Source(s) of supply for the district: Town of Canandaigua Water Supply  Applicant/sponsor for new district: Date application submitted or anticipated: Proposed source(s) of supply for new district: Date application submitted or anticipated: Proposed source(s) of supply for new district: Util' a public water supply will not be used, describe plans to provide water supply for the project:  Vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:  gallons/minute.  d. Will the proposed action generate liquid wastes?  Yes \No If Yes:  No If water supply will be from wells (public or private), what is the maximum pumping capacity: gallons/minute.  d. Will the proposed action use any existing public wastewater treatment facilities?  Name of district: Canandaigua Lake County Sewer District Name of wastewater treatment plant to be used: City of Canandaigua Name of the project is in the existing district?  Name of the project is in the existing district?  Name of the project is in the	expected acreage of aquatic vegetation remaining after project completion:    The proposed removed (a.g. bosek eleging invasive species control boat access);				
proposed method of plant removal:         if chemical/herbicide treatment will be used, specify product(s):         v. Describe any proposed reclamation/mitigation following disturbance:  c. Will the proposed action use, or create a new demand for water?  i. Total anticipated water usage/demand per day:         i. Total anticipated water usage/demand per day:         ii. Will the proposed action obtain water from an existing public water supply?  i. Will the proposed action obtain water from an existing public water supply?  i. What the proposed action obtain water from an existing public water supply?  i. Name of district or service area: Canandaigua Consolidated Water District  Does the existing public water supply have capacity to serve the proposal?  i. Step project site in the existing district?  Does the existing public water supply have capacity to serve the proposal?  i. Is expansion of the district needed?  Doe cxisting lines serve the project site?  Does he existing ines serve the project site?  ii. Will line extension within an existing district be necessary to supply the project?  If yes:  Does he existing ines serve the project site?  Does he existing ines serve the project site?  Does he existing ines serve the project site?  No Is a new water supply district or service area proposed to serve this project.  If yes:  Applicant/sponsor for new district:  Date application submitted or anticipated:  Date application submitted or anticipated:  Date application submitted or anticipated:  Proposed source(s) of supply for the district:  If a public water supply will not be used, describe plans to provide water supply for the project:  If yes:  If water supply will be from wells (public or private), what is the maximum pumping capacity:  gallons/minute.  d. Will the proposed action use any existing public wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each):  Santary Wastewater  iii. Will the proposed action use any existing public wastewater					
if chemical/herbicide treatment will be used, specify product(s):     v. Describe any proposed reclamation/mitigation following disturbance:    C. Will the proposed action use, or create a new demand for water?   FYes:	<ul> <li>proposed method of plant removal:</li> </ul>				
Will the proposed action use, or create a new demand for water?	if chemical/herbicide treatment will be used, specify product(s):				
If Yes:  i. Total anticipated water usage/demand per day: ii. Will the proposed action obtain water from an existing public water supply?  Name of district or service area: Canandaigua Consolidated Water District  Does the existing public water supply have capacity to serve the proposal?  Is the project site in the existing district?  Is the project site in the existing district?  Is the project site in the existing district?  Is expansion of the district needed?  Do existing lines serve the project site?  Do existing lines serve the project site?  Do existing line extensions within an existing district be necessary to supply the project?  PYes № No  iii. Will line extensions or capacity expansions proposed to serve this project:  New 8" watermain along the proposed street, connecting between Bristol Rd & Parrish St Ext.  Source(s) of supply for the district: Town of Canandaigua Water Supply  iv. Is a new water supply district or service area proposed to be formed to serve the project site?  Proposed source(s) of supply for new district:  Date application submitted or anticipated:  Proposed source(s) of supply for mew district:  If a public water supply will not be used, describe plans to provide water supply for the project:  vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:  gallons/minute.  d. Will the proposed action generate liquid wastes?  If yes:  Notal anticipated liquid waste generation per day:  Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each):  Sanitary Wastewater  Name of district: Canandaigua Lake County Sewer District  Name of district: Canandaigua Lake County Sewer District  Name of district: Canandaigua Lake County Sewer District  Sanitary Wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Sanitary Wastewater treatment plant have capacity to serve the project?	v. Describe any proposed reclamation/mitigation following disturbance:				
If Yes:  i. Total anticipated water usage/demand per day: ii. Will the proposed action obtain water from an existing public water supply?  Name of district or service area: Canandaigua Consolidated Water District  Does the existing public water supply have capacity to serve the proposal?  Is the project site in the existing district?  Is the project site in the existing district?  Is the project site in the existing district?  Is expansion of the district needed?  Do existing lines serve the project site?  Do existing lines serve the project site?  Do existing line extensions within an existing district be necessary to supply the project?  PYes № No  iii. Will line extensions or capacity expansions proposed to serve this project:  New 8" watermain along the proposed street, connecting between Bristol Rd & Parrish St Ext.  Source(s) of supply for the district: Town of Canandaigua Water Supply  iv. Is a new water supply district or service area proposed to be formed to serve the project site?  Proposed source(s) of supply for new district:  Date application submitted or anticipated:  Proposed source(s) of supply for mew district:  If a public water supply will not be used, describe plans to provide water supply for the project:  vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:  gallons/minute.  d. Will the proposed action generate liquid wastes?  If yes:  Notal anticipated liquid waste generation per day:  Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each):  Sanitary Wastewater  Name of district: Canandaigua Lake County Sewer District  Name of district: Canandaigua Lake County Sewer District  Name of district: Canandaigua Lake County Sewer District  Sanitary Wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Sanitary Wastewater treatment plant have capacity to serve the project?					
i. Will the proposed action obtain water from an existing public water supply?    Will the proposed action obtain water from an existing public water supply?		Y es INO			
ii. Will the proposed action obtain water from an existing public water supply?    Yes   Name of district or service area: Canandaigua Consolidated Water District   Does the existing public water supply have capacity to serve the proposal?   Is the project site in the existing district?   Is expansion of the district needed?   Do existing lines serve the project site?   Doe existing lines serve the project site?   Does will line extension within an existing district be necessary to supply the project?   Will line extensions or capacity expansions proposed to serve this project:   New 8" watermain along the proposed street, connecting between Bristol Rd & Parnish St Ext.   Describe extensions or capacity expansions proposed to serve this project:   New 8" watermain along the proposed street, connecting between Bristol Rd & Parnish St Ext.   Source(s) of supply for the district:   Down of Canandaigua Water Supply					
Name of district or service area: Canandaigua Consolidated Water District  Does the existing public water supply have capacity to serve the proposal?  Is the project site in the existing district?  Is expansion of the district needed?  Doe skiting lines serve the project site?  Doe skiting lines serve the project site?  Will line extension within an existing district be necessary to supply the project?  Pyes No  Wyes No	ii. Will the proposed action obtain water from an existing public water supply?	✓ Yes   No			
Does the existing public water supply have capacity to serve the proposal?  If the project site in the existing district?  Is expansion of the district needed?  Do existing lines serve the project site?  Doe existing lines serve the project site?  Does proposed street necessary to supply the project?  Press No  Will line extension within an existing district be necessary to supply the project?  Press No  Describe extensions or capacity expansions proposed to serve this project:  New 8" watermain along the proposed street. connecting between Bristol Rd & Parrish St Ext.  Source(s) of supply for the district: Town of Canandaigua Water Supply  iv. Is a new water supply district or service area proposed to be formed to serve the project site?  Applicant/sponsor for new district:  Date application submitted or anticipated:  Proposed source(s) of supply for new district:  If a public water supply will not be used, describe plans to provide water supply for the project:  VI fa public water supply will be from wells (public or private), what is the maximum pumping capacity:  Guill the proposed action generate liquid wastes?  If Yes   Yes No   If Yes:  If oral anticipated liquid waste generation per day:  If oral anticipated liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each):  Sanitary Wastewater  Name of district: Canandaigua Lake County Sewer District  Name of district: Canandaigua Lake County Sewer District  Name of be existing wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Press No  If yes No  If yes Ino  Syes No  If yes Ino  Yes No  Press No  If yes Ino  No sthe existing wastewater treatment plant have capacity to serve the project?  If yes Ino  If ye	If Yes:				
Is the project site in the existing district?  Is expansion of the district needed?  Is expansion of the district needed?  Do existing lines serve the project site?  Will line extension within an existing district be necessary to supply the project?  If Yes:  Describe extensions or capacity expansions proposed to serve this project:  New 8" watermain along the proposed street, connecting between Bristol Rd & Parnish St Ext.  Source(s) of supply for the district: Town of Canandaigua Water Supply  In Is a new water supply district or service area proposed to be formed to serve the project site?  Applicant/sponsor for new district:  Proposed source(s) of supply for new district:  It apublic water supply will not be used, describe plans to provide water supply for the project:  If a public water supply will be from wells (public or private), what is the maximum pumping capacity:  If water supply will be from wells (public or private), what is the maximum pumping capacity:  If Yes:  In Total anticipated liquid waste generation per day:  In Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each):  Sanitary Wastewater  If Yes:  Name of district: Canandaigua Lake County Sewer District  Name of district: Canandaigua Lake County Sewer District  Name of lighting wastewater treatment plant to be used; City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Does the existing wastewater treatment plant have capacity to serve the project?  Yes No  If yes No  If yes project site in the existing district:  In One of the district is the existing district.  In One of the existing wastewater treatment plant have capacity to serve the project?					
Is expansion of the district needed?  Do existing lines serve the project site?  Do existing lines serve the project site?  Do existing lines serve the project site?  Describe extensions or capacity expansions proposed to serve this project:  New 8" watermain along the proposed street, connecting between Bristol Rd & Parrish St Ext.  Source(s) of supply for the district: Town of Canandaigua Water Supply  No Is a new water supply district or service area proposed to be formed to serve the project site?  Applicant/sponsor for new district:  Date application submitted or anticipated:  Proposed source(s) of supply for new district:  If a public water supply will not be used, describe plans to provide water supply for the project:  VI. If water supply will be from wells (public or private), what is the maximum pumping capacity:  Jost anticipated liquid waste generation per day:  Total anticipated liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each):  Sanitary Wastewater  Name of district: Canandaigua Lake County Sewer District  Name of district: Canandaigua Lake County Sewer District  Name of observation to the district: Canandaigua Lake County Sewer District  Proposed setting wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Sanitary Wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Sanitary Wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Sanitary Wastewater treatment plant to be used: City of Canandaigua  Sanitary Wastewater treatment plant to be used: City of Canandaigua  Sanitary Wastewater treatment plant to be used: City of Canandaigua  Sanitary Wastewater treatment plant to be used: City of Canandaigua  Sanitary Wastewater treatment plant to be used: City of Canandaigua  Sanitary Wastewater treatment pl		<del></del>			
Do existing lines serve the project site?					
iii. Will line extension within an existing district be necessary to supply the project?  • Describe extensions or capacity expansions proposed to serve this project: New 8" watermain along the proposed street, connecting between Bristol Rd & Parrish St Ext.  • Source(s) of supply for the district: Town of Canandaigua Water Supply iv. Is a new water supply district or service area proposed to be formed to serve the project site?  • Applicant/sponsor for new district: • Date application submitted or anticipated: • Proposed source(s) of supply for new district:  • If a public water supply will not be used, describe plans to provide water supply for the project:  vi. If water supply will be from wells (public or private), what is the maximum pumping capacity: gallons/minute.  d. Will the proposed action generate liquid wastes?  i. Total anticipated liquid waste generation per day: ii. Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each): Sanitary Wastewater  iii. Will the proposed action use any existing public wastewater treatment facilities?  • Name of wastewater treatment plant to be used: City of Canandaigua  • Name of district: Canandaigua Lake County Sewer District  • Does the existing wastewater treatment plant have capacity to serve the project?  □ Yes □ No  • Is the project site in the existing district?	•				
Describe extensions or capacity expansions proposed to serve this project:  New 8" watermain along the proposed street, connecting between Bristol Rd & Parrish St Ext.  Source(s) of supply for the district: Town of Canandaigua Water Supply  iv. Is a new water supply district or service area proposed to be formed to serve the project site?  Applicant/sponsor for new district:  Date application submitted or anticipated:  Proposed source(s) of supply for new district:  Bate application submitted or anticipated:  Bate application submitted or anticipated liquid water supply will not be used, describe plans to provide water supply for the project:  Will the proposed action generate liquid wastes?  Bate application submitted plant waste generation per day:  Bate application submitted plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Does the existing wastewater treatment plant have capacity to serve the project?  Bate applications of project site in the existing district?					
Describe extensions or capacity expansions proposed to serve this project:  New 8" watermain along the proposed street, connecting between Bristol Rd & Parrish St Ext.  Source(s) of supply for the district: Town of Canandaigua Water Supply  iv. Is a new water supply district or service area proposed to be formed to serve the project site?  Applicant/sponsor for new district:  Date application submitted or anticipated:  Proposed source(s) of supply for new district:  If a public water supply will not be used, describe plans to provide water supply for the project:  vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:  gallons/minute.  d. Will the proposed action generate liquid wastes?  If Yes:  Total anticipated liquid waste generation per day:  Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each):  Sanitary Wastewater  iii. Will the proposed action use any existing public wastewater treatment facilities?  Yes No  If Yes:  Name of wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Does the existing wastewater treatment plant have capacity to serve the project?  Yes No  If Yes No  If Sthe project site in the existing district?	<u> </u>	<b>►</b> 1 €2 □ 1 00			
New 8" watermain along the proposed street, connecting between Bristol Rd & Parrish St Ext.  Source(s) of supply for the district: Town of Canandaigua Water Supply  iv. Is a new water supply district or service area proposed to be formed to serve the project site?  Applicant/sponsor for new district:  Date application submitted or anticipated: Proposed source(s) of supply for new district:  V. If a public water supply will not be used, describe plans to provide water supply for the project:  Vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:  gallons/minute.  d. Will the proposed action generate liquid wastes?  If Yes:  I Total anticipated liquid waste generation per day:  I Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each): Sanitary Wastewater   Will the proposed action use any existing public wastewater treatment facilities?  Yes No  If Yes:  Name of wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Does the existing wastewater treatment plant have capacity to serve the project?  Yes No  Is the project site in the existing district?					
Source(s) of supply for the district: Town of Canandaigua Water Supply  iv. Is a new water supply district or service area proposed to be formed to serve the project site?					
<ul> <li>iv. Is a new water supply district or service area proposed to be formed to serve the project site?</li></ul>					
Applicant/sponsor for new district:     Date application submitted or anticipated:     Proposed source(s) of supply for new district:     V. If a public water supply will not be used, describe plans to provide water supply for the project:  vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:  gallons/minute.  d. Will the proposed action generate liquid wastes?  If Yes:  i. Total anticipated liquid waste generation per day:  ii. Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial; if combination, describe all components and approximate volumes or proportions of each):  Sanitary Wastewater  iii. Will the proposed action use any existing public wastewater treatment facilities?  If Yes:  Name of wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Does the existing wastewater treatment plant have capacity to serve the project?  If Yes No  If Yes No  If Sex No		☐ Yes <b>Z</b> No			
Proposed source(s) of supply for new district:  v. If a public water supply will not be used, describe plans to provide water supply for the project:  vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:					
Proposed source(s) of supply for new district:  v. If a public water supply will not be used, describe plans to provide water supply for the project:  vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:	Applicant/sponsor for new district:				
v. If a public water supply will not be used, describe plans to provide water supply for the project:  vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:gallons/minute.  d. Will the proposed action generate liquid wastes?  If Yes:  i. Total anticipated liquid waste generation per day:18,400 gallons/day  ii. Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each):	Date application submitted or anticipated:				
vi. If water supply will be from wells (public or private), what is the maximum pumping capacity:gallons/minute.  d. Will the proposed action generate liquid wastes?  If Yes:  i. Total anticipated liquid waste generation per day:18,400 gallons/day  ii. Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial; if combination, describe all components and approximate volumes or proportions of each):					
d. Will the proposed action generate liquid wastes?  i. Total anticipated liquid waste generation per day:	v. If a public water supply will not be used, describe plans to provide water supply for the project:				
If Yes:  i. Total anticipated liquid waste generation per day:					
<ul> <li>i. Total anticipated liquid waste generation per day:</li></ul>	•	<b>∠</b> Yes ∟No			
<ul> <li>ii. Nature of liquid wastes to be generated (e.g., sanitary wastewater, industrial: if combination, describe all components and approximate volumes or proportions of each):         <ul> <li>Sanitary Wastewater</li> </ul> </li> <li>iii. Will the proposed action use any existing public wastewater treatment facilities?</li> <li>If Yes:         <ul> <li>Name of wastewater treatment plant to be used: City of Canandaigua</li> <li>Name of district: Canandaigua Lake County Sewer District</li> <li>Does the existing wastewater treatment plant have capacity to serve the project?</li> <li>Is the project site in the existing district?</li> </ul> </li> </ul>					
approximate volumes or proportions of each):  Sanitary Wastewater  iii. Will the proposed action use any existing public wastewater treatment facilities?  If Yes:  Name of wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Does the existing wastewater treatment plant have capacity to serve the project?  Is the project site in the existing district?  Yes No	i. Notice of liquid wastes to be generated (e.g., sanitary wastewater, industrial; if combination, describe	all components and			
Sanitary Wastewater  iii. Will the proposed action use any existing public wastewater treatment facilities?  If Yes:  Name of wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Does the existing wastewater treatment plant have capacity to serve the project?  Is the project site in the existing district?  Yes No	approximate volumes or proportions of each):				
If Yes:  Name of wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Does the existing wastewater treatment plant have capacity to serve the project? ✓ Yes No  Is the project site in the existing district? ✓ Yes No					
If Yes:  Name of wastewater treatment plant to be used: City of Canandaigua  Name of district: Canandaigua Lake County Sewer District  Does the existing wastewater treatment plant have capacity to serve the project? ✓ Yes No  Is the project site in the existing district? ✓ Yes No	WWW.d. L. d	<b>□ □ □ □ N</b> O			
<ul> <li>Name of wastewater treatment plant to be used: City of Canandaigua</li> <li>Name of district: Canandaigua Lake County Sewer District</li> <li>Does the existing wastewater treatment plant have capacity to serve the project?</li> <li>Is the project site in the existing district?</li> </ul>		<b>₽</b> 1 €31 10			
<ul> <li>Name of district: Canandaigua Lake County Sewer District</li> <li>Does the existing wastewater treatment plant have capacity to serve the project?</li> <li>Is the project site in the existing district?</li> </ul>					
<ul> <li>Does the existing wastewater treatment plant have capacity to serve the project?</li> <li>✓ Yes No</li> <li>Is the project site in the existing district?</li> </ul>	Name of district: Canandaigua Lake County Sewer District				
10 W. Project v. C.					
Is expansion of the district needed?  ✓ Yes □No					
	Is expansion of the district needed?	<b>⊬</b> Y es ∐No			

	• Do existing sewer lines serve the project site?	☐Yes ☑No
	• Will a line extension within an existing district be necessary to serve the project?	<b>∠</b> Yes <b>□</b> No
	If Yes:	
	Describe extensions or capacity expansions proposed to serve this project:  Sewer main along the proposed street	
	Sewer main along the proposed siteet	
iv.	Will a new wastewater (sewage) treatment district be formed to serve the project site?	<b>☑</b> Yes <b>□</b> No
	If Yes:	
	Applicant/sponsor for new district: Ontario County	
	Date application submitted or anticipated: June 2021	
	What is the receiving water for the wastewater discharge? Canandaigua Lake	if in a managed
v.	If public facilities will not be used, describe plans to provide wastewater treatment for the project, including spec receiving water (name and classification if surface discharge or describe subsurface disposal plans):	nying proposed
vi	Describe any plans or designs to capture, recycle or reuse liquid waste:	
(3	Will the proposed action disturb more than one acre and create stormwater runoff, either from new point	<b>☑</b> Yes □No
С.	sources (i.e. ditches, pipes, swales, curbs, gutters or other concentrated flows of stormwater) or non-point	
	source (i.e. sheet flow) during construction or post construction?	
	Yes:	
i.	How much impervious surface will the project create in relation to total size of project parcel?	
	Square feet or 9.9+/- acres (impervious surface) Square feet or 95+/- acres (parcel size)	
.,	Square feet or95+/- acres (parcet size)  Describe types of new point sources. Houses, driveways, sidewalk, street	
ш	Describe types of flew point sources. Houses, diveways, sidewaik, silect	
iii	Where will the stormwater runoff be directed (i.e. on-site stormwater management facility/structures, adjacent p	roperties,
	groundwater, on-site surface water or off-site surface waters)?	
	on-site stormwater management facilities, on-site stream	
	If to surface waters, identify receiving water bodies or wetlands:	
	11 to surface waters, identify receiving water bodies of wettands.	
	Will stormwater runoff flow to adjacent properties?	<b>∠</b> Yes <b>□</b> No
	Does the proposed plan minimize impervious surfaces, use pervious materials or collect and re-use stormwater?	
f.	Does the proposed action include, or will it use on-site, one or more sources of air emissions, including fuel	□Yes <b>☑</b> No
	combustion, waste incineration, or other processes or operations?	
	Yes, identify:	
	i. Mobile sources during project operations (e.g., heavy equipment, fleet or delivery vehicles)	
i	i. Stationary sources during construction (e.g., power generation, structural heating, batch plant, crushers)	
ii	i. Stationary sources during operations (e.g., process emissions, large boilers, electric generation)	
	- Committee of the comm	
g.	Will any air emission sources named in D.2.f (above), require a NY State Air Registration, Air Facility Permit,	□Yes No
0	or Federal Clean Air Act Title IV or Title V Permit?	
	Yes:	
i.	Is the project site located in an Air quality non-attainment area? (Area routinely or periodically fails to meet	□Yes□No
,,	ambient air quality standards for all or some parts of the year)	
11.	In addition to emissions as calculated in the application, the project will generate:  • Tons/year (short tons) of Carbon Dioxide (CO <sub>2</sub> )	
	• Tons/year (short tons) of Nitrous Oxide (N <sub>2</sub> O)	
	• Tons/year (short tons) of Perfluorocarbons (PFCs)	
	• Tons/year (short tons) of Sulfur Hexafluoride (SF <sub>6</sub> )	
	Tons/year (short tons) of Carbon Dioxide equivalent of Hydroflourocarbons (HFCs)	
	Tons/year (short tons) of Hazardous Air Pollutants (HAPs)	

h. Will the proposed action generate or emit methane (including, but not limited to, sewage treatment plants, landfills, composting facilities)?  If Yes:  i. Estimate methane generation in tons/year (metric):  ii. Describe any methane capture, control or elimination measures included in project design (e.g., combustion to gelectricity, flaring):	☐Yes ☑ No generate heat or
<ul> <li>i. Will the proposed action result in the release of air pollutants from open-air operations or processes, such as quarry or landfill operations?</li> <li>If Yes: Describe operations and nature of emissions (e.g., diesel exhaust, rock particulates/dust):</li> </ul>	□Yes <b>☑</b> No
j. Will the proposed action result in a substantial increase in traffic above present levels or generate substantial new demand for transportation facilities or services?  If Yes:  i. When is the peak traffic expected (Check all that apply): ✓ Morning ✓ Evening ✓ Weekend ✓ Randomly between hours of ✓ to ✓ to ✓ ii. For commercial activities only, projected number of truck trips/day and type (e.g., semi trailers and dump truc N/A	☑Yes□No ks):
<ul> <li>iii. Parking spaces: Existing N/A Proposed 14 Net increase/decrease</li> <li>iv. Does the proposed action include any shared use parking?</li> <li>v. If the proposed action includes any modification of existing roads, creation of new roads or change in existing New road with connections to Bristol Rd and Parrish St Ext</li> <li>vi. Are public/private transportation service(s) or facilities available within ½ mile of the proposed site?</li> <li>vii Will the proposed action include access to public transportation or accommodations for use of hybrid, electric or other alternative fueled vehicles?</li> <li>viii. Will the proposed action include plans for pedestrian or bicycle accommodations for connections to existing pedestrian or bicycle routes?</li> </ul>	∐Yes <b>∠</b> No
<ul> <li>k. Will the proposed action (for commercial or industrial projects only) generate new or additional demand for energy?</li> <li>If Yes: <ul> <li>i. Estimate annual electricity demand during operation of the proposed action:</li> <li>ii. Anticipated sources/suppliers of electricity for the project (e.g., on-site combustion, on-site renewable, via grid other):</li> </ul> </li> </ul>	
iii. Will the proposed action require a new, or an upgrade, to an existing substation?  I. Hours of operation. Answer all items which apply.  i. During Construction:  Monday - Friday: Saturday: Saturday: Sunday: Holidays: Holidays: Holidays:	

The state of the s	✓ Yes □No
m. Will the proposed action produce noise that will exceed existing ambient noise levels during construction,	E I C3 LINO
operation, or both?	
If yes:	
i. Provide details including sources, time of day and duration:	
Construction equipment, during normal work hours throughout construction phase	
ii. Will the proposed action remove existing natural barriers that could act as a noise barrier or screen?	☐ Yes <b>☑</b> No
Describe:	
n. Will the proposed action have outdoor lighting?	✓ Yes ☐No
If yes:	
i. Describe source(s), location(s), height of fixture(s), direction/aim, and proximity to nearest occupied structures:	
Standard single driveway post light per lot	
ii. Will proposed action remove existing natural barriers that could act as a light barrier or screen?	☐ Yes ☑ No
	1 00 1110
Describe:	
o. Does the proposed action have the potential to produce odors for more than one hour per day?	☐ Yes ☑ No
If Yes, describe possible sources, potential frequency and duration of odor emissions, and proximity to nearest	
occupied structures:	
p. Will the proposed action include any bulk storage of petroleum (combined capacity of over 1,100 gallons)	☐ Yes ☑ No
or chemical products 185 gallons in above ground storage or any amount in underground storage?	
If Yes:	
: Paudicat(a) to be stored	
ii. Volume(s) per unit time (e.g., month, year)	
iii. Generally, describe the proposed storage facilities:	
m. Generally, describe the proposed storage ratinates.	
q. Will the proposed action (commercial, industrial and recreational projects only) use pesticides (i.e., herbicides,	☐ Yes ☐No
	103 [[110]
insecticides) during construction or operation?	
If Yes:	
i. Describe proposed treatment(s):	
ii. Will the proposed action use Integrated Pest Management Practices?	☐ Yes ☐No
r. Will the proposed action (commercial or industrial projects only) involve or require the management or disposal	☐ Yes ☐No
of solid waste (excluding hazardous materials)?	
If Yes:	
i. Describe any solid waste(s) to be generated during construction or operation of the facility:	
• Construction: tons per (unit of time)	
• Operation: tons per (unit of time)	
ii. Describe any proposals for on-site minimization, recycling or reuse of materials to avoid disposal as solid waste	:
Construction:	
Operation:	
iii. Proposed disposal methods/facilities for solid waste generated on-site:	
Construction:	
Operation:	


s. Does the proposed action include construction or modification of a solid waste management facility?  Yes  No If Yes:				
i.	Type of management or handling of waste proposed	for the site (e.g., recycling	or transfer station, composting	g, landfill, or
ii.	other disposal activities):Anticipated rate of disposal/processing:			
	• Tons/month, if transfer or other non-		ent, or	
	• Tons/hour, if combustion or thermal			
		years		
W	fill the proposed action at the site involve the commeraste?	rcial generation, treatment,	, storage, or disposal of hazardo	ous TYes <b>V</b> No
If Y	es: Name(s) of all hazardous wastes or constituents to be	e generated, handled or man	naged at facility:	
ii.	Generally describe processes or activities involving h	nazardous wastes or constit	uents:	
,,,	Specify amount to be handled or generatedto	ane/month		
iv.	Describe any proposals for on-site minimization, rec	yeling or reuse of hazardor	us constituents:	
	Will any hazardous wastes be disposed at an existing es: provide name and location of facility:	g offsite hazardous waste fa		□Yes□No
IfN	o: describe proposed management of any hazardous	wastes which will not be se	ent to a hazardous waste facility	y:
FS	Site and Setting of Proposed Action			
	. Land uses on and surrounding the project site			
	xisting land uses.			
	Check all uses that occur on, adjoining and near the	project site.		
	Jrban 🔲 Industrial 🔲 Commercial 💆 Resid		ral (non-farm)	
	Forest ✓ Agriculture ☐ Aquatic ☐ Other If mix of uses, generally describe:	(specify):		
11.	Trimix of uses, generally describe.			
b. L	and uses and covertypes on the project site.			
	Land use or	Current	Acreage After	Change
	Covertype	Acreage	Project Completion	(Acres +/-)
•	Roads, buildings, and other paved or impervious surfaces	0.1	9.9	+9.8
•	Forested	13	13	-
•	Meadows, grasslands or brushlands (non-agricultural, including abandoned agricultural)		61.4	61.4
•	Agricultural (includes active orchards, field, greenhouse etc.)	77.2	6.0	71.2
•	Surface water features (lakes, ponds, streams, rivers, etc.)	0.4	0.4	-
•	Wetlands (freshwater or tidal)	4.3	4.3	-
•	Non-vegetated (bare rock, earth or fill)			
•	Other			
	Describe:			

i. If Yes: explain:	□Yes☑No
I. Are there any facilities serving children, the elderly, people with disabilities (e.g., schools, hospitals, licensed day care centers, or group homes) within 1500 feet of the project site? If Yes.	<b>☑</b> Yes□No
i. Identify Facilities:	
Wings Christian Preschool (at Crosswinds Wesleyan Church), Middle Cheshire Rd	
. Does the project site contain an existing dam?	<b>∠</b> Yes No
f Yes:	
i. Dimensions of the dam and impoundment:	
• Dam height: 6 feet	
• Dam length: 475+/- feet	
• Surface area: 5+/- acres	
Volume impounded: 9+/- gallons OR acre-feet	
ii. Dam's existing hazard classification: Low Hazard (A)	
iii. Provide date and summarize results of last inspection:	
11/26/2002: Per NYSDEC data	
Has the project site ever been used as a municipal, commercial or industrial solid waste management facility,	☐ Yes ✓ No
or does the project site adjoin property which is now, or was at one time, used as a solid waste management fac f Yes:	
i. Has the facility been formally closed?	□Yes□ No
If yes, cite sources/documentation:	
ii. Describe the location of the project site relative to the boundaries of the solid waste management facility:	
iii. Describe any development constraints due to the prior solid waste activities:	
ii. Describe any development constraints due to the prior south waste determine.	
Have hazardous wastes been generated, treated and/or disposed of at the site, or does the project site adjoin property which is now or was at one time used to commercially treat, store and/or dispose of hazardous waste? f Yes:	□Yes☑No
i. Describe waste(s) handled and waste management activities, including approximate time when activities occur	red:
. Potential contamination history. Has there been a reported spill at the proposed project site, or have any remedial actions been conducted at or adjacent to the proposed site?	□Yes <b>☑</b> No
f Yes:  i. Is any portion of the site listed on the NYSDEC Spills Incidents database or Environmental Site Remediation database? Check all that apply:	□Yes□No
☐ Yes – Spills Incidents database Provide DEC ID number(s):	
Yes – Environmental Site Remediation database  Provide DEC ID number(s):  Neither database	
If site has been subject of RCRA corrective activities, describe control measures:	
	□Yes☑No
iii. Is the project within 2000 feet of any site in the NYSDEC Environmental Site Remediation database? f yes, provide DEC ID number(s):	

v. Is the project site subject to an institutional contro		☐ Yes <b>☑</b> No
<ul><li>If yes, DEC site ID number:</li><li>Describe the type of institutional control (e.g.)</li></ul>	I. I. and discount of the second	
Donally and the limitations.		
<ul> <li>Describe any engineering controls:</li> <li>Will the project affect the institutional or engineering.</li> <li>Explain:</li> </ul>	gineering controls in place?	□Yes□No
E.2. Natural Resources On or Near Project Site		
a. What is the average depth to bedrock on the project	site? >6 fo	eet
b. Are there bedrock outcroppings on the project site?	to and more proper.	☐ Yes <b>☑</b> No
If Yes, what proportion of the site is comprised of bec	rock outcroppings?	
c. Predominant soil type(s) present on project site:	Honeoye loam	80.1 %
	Lima loam	12.4 % 7.6 %
	Kendaia loam	
d. What is the average depth to the water table on the		
e. Drainage status of project site soils: Well Draine	d: <u>80.1</u> % of site	
Moderately  Poorly Drain	Well Drained: 12.4 % of site ned 7.3 % of site	
f. Approximate proportion of proposed action site with		9 % of site
The representation of proposed details site with	<b>☑</b> 10-15%:8	9 % of site
	$\blacksquare$ 15% or greater:2	2_% of site
g. Are there any unique geologic features on the proje	et site?	☐ Yes <b>☑</b> No
If Yes, describe:		
h. Surface water features.  i. Does any portion of the project site contain wetlan	ds or other waterbodies (including stream	ıs, rivers, <b>☑</b> Yes <b>□</b> No
ponds or lakes)?  ii. Do any wetlands or other waterbodies adjoin the p	roject site?	<b>∠</b> Yes No
If Yes to either $i$ or $ii$ , continue. If No, skip to E.2.i.		
iii. Are any of the wetlands or waterbodies within or state or local agency?	adjoining the project site regulated by any	y federal,
<ul><li>iv. For each identified regulated wetland and waterbo</li><li>Streams: Name 898-222</li></ul>		ing information: ssification <sup>C</sup>
• Lakes or Ponds: Name		ssification
<ul> <li>Wetlands: Name Federal Waters, Fed</li> <li>Wetland No. (if regulated by DEC)</li> </ul>	eral Waters, Federal Waters, Ap	proximate Size 4.29
v. Are any of the above water bodies listed in the most waterbodies?	t recent compilation of NYS water quali	y-impaired ☐Yes <b>☑</b> No
If yes, name of impaired water body/bodies and basis	for listing as impaired:	
i. Is the project site in a designated Floodway?		□Yes ✓No
j. Is the project site in the 100-year Floodplain?		□Yes <b>∠</b> No
k. Is the project site in the 500-year Floodplain?		☐Yes <b>☑</b> No
I. Is the project site located over, or immediately adjoint Yes:		aquifer? □Yes ☑No
i. Name of aquifer:		

m.	Identify the predominant wildlife speci	es that occupy or use the projec	et site:	
	small mammals	small rodents	insects	
	birds	deer		
	Does the project site contain a designate	d significant natural community	v?	☐Yes ✓No
If Y	es:			
i.	Describe the habitat/community (comp	osition, function, and basis for	designation):	
иi.	Extent of community/habitat:  • Currently:		acres	
	<ul><li> Currently:</li><li> Following completion of project a</li></ul>	us proposed:		
	• Gain or loss (indicate + or -):		acres	
	Does project site contain any species of	nlant or animal that is listed by	the federal government or NVS as	☐ Yes No
0. L	notes project site contain any species of independent or threatened or does it continued.	piant of annual that is fisted by ain any areas identified as habi	tat for an endangered or threatened spec	
	Yes:			
11 ' i.		ned):		
			-	
		- C - L	d by MVC on your or as a massion of	□Yes•No
	Does the project site contain any specie	s of plant or animal that is liste	u by in 15 as rare, or as a species of	L CONTINU
	special concern?			
	Yes: Species and listing:			
1.	opeoios and noting			
_				
q. I	s the project site or adjoining area curre	ently used for hunting, trapping	, fishing or shell fishing?	□Yes <b>☑</b> No
lf y	es, give a brief description of how the p	proposed action may affect that	use:	
E ?	. Designated Public Resources On or	r Near Project Site		
E.3	s the project site, or any portion of it, lo	ocated in a designated agricultur	ral district certified pursuant to	Ves No
a. I	s the project site, or any portion of it, to Agriculture and Markets Law, Article 2	cated in a designated agricultul 25-AA, Section 303 and 304?	tal district continue pursuant to	
l <sub>If</sub> s	Yes, provide county plus district name/	number: ONTA001		
				<b>V</b> Yes □No
b. /	Are agricultural lands consisting of high If Yes: acreage(s) on project site? 80.	ny productive sons present:  .3 acres		
	Source(s) of soil rating(s): Web Soil Su			
	Does the project site contain all or part		ous to, a registered National	∐Yes <b>⊉</b> No
	Natural Landmark?	or, or to it substantially configu		
i e	Yes:	_		
;	Nature of the natural landmark:	☐ Biological Community	☐ Geological Feature	
iı			nation and approximate size/extent:	
	Is the project site located in or does it ac	djoin a state listed Critical Envi	ronmental Area?	☐ Yes No
l .	Yes:			
1 1	. CEA hame: Basis for designation:			
ii	i. Designating agency and date:			
"	0 00 ,			

which is listed on the National or State Register of Historic Places, or that has been determined by the Commissione Office of Parks, Recreation and Historic Preservation to be eligible for listing on the State Register of Historic Places If Yes:	Yes No er of the NYS s?
i. Nature of historic/archaeological resource: Archaeological Site Historic Building or District	
ii. Name:	
f. Is the project site, or any portion of it, located in or adjacent to an area designated as sensitive for archaeological sites on the NY State Historic Preservation Office (SHPO) archaeological site inventory?	<b>Z</b> Yes □No
If Yes:	_Yes <b>∠</b> No
<ul><li>i. Describe possible resource(s):</li><li>ii. Basis for identification:</li></ul>	
	Yes <b>✓</b> No
scenic or aesthetic resource?	1100
If Yes:	
<ul><li>i. Identify resource:</li><li>ii. Nature of, or basis for, designation (e.g., established highway overlook, state or local park, state historic trail or second</li></ul>	enic byway,
etc.):	
iii. Distance between project and resource: miles.	
<ul> <li>i. Is the project site located within a designated river corridor under the Wild, Scenic and Recreational Rivers         Program 6 NYCRR 666?</li> <li>If Yes:</li> </ul>	∏Yes <b>⊠</b> No
i. Identify the name of the river and its designation:	
ii. Is the activity consistent with development restrictions contained in 6NYCRR Part 666?	∐Yes □No
F. Additional Information Attach any additional information which may be needed to clarify your project.  If you have identified any adverse impacts which could be associated with your proposal, please describe those impa	icts plus any
G. Verification I certify that the information provided is true to the best of my knowledge.  Applicant/Sponsor Name Richard Tiede, Marathon Engineering, as agent  Signature Title Project Manager	



B.i.i [Coastal or Waterfront Area]	No
B.i.ii [Local Waterfront Revitalization Area]	No
C.2.b. [Special Planning District]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h [DEC Spills or Remediation Site - Potential Contamination History]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h.i [DEC Spills or Remediation Site - Listed]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h.i [DEC Spills or Remediation Site - Environmental Site Remediation Database]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.
E.1.h.iii [Within 2,000' of DEC Remediation Site]	No
E.2.g [Unique Geologic Features]	No
E.2.h.i [Surface Water Features]	Yes
E.2.h.ii [Surface Water Features]	Yes
E.2.h.iii [Surface Water Features]	Yes - Digital mapping information on local and federal wetlands and waterbodies is known to be incomplete. Refer to EAF Workbook.
E.2.h.iv [Surface Water Features - Stream Name]	898-222
E.2.h.iv [Surface Water Features - Stream Classification]	C
E.2.h.iv [Surface Water Features - Wetlands Name]	Federal Waters
E.2.h.v [Impaired Water Bodies]	No
E.2.i. [Floodway]	Digital mapping data are not available or are incomplete. Refer to EAF Workbook.

Workbook.

Digital mapping data are not available or are incomplete. Refer to EAF

E.2.j. [100 Year Floodplain]

E.2.k. [500 Year Floodplain] Digital mapping data are not available or are incomplete. Refer to EAF

Workbook.

E.2.I. [Aquifers] No

E.2.n. [Natural Communities] No
E.2.o. [Endangered or Threatened Species] No
E.2.p. [Rare Plants or Animals] No

E.2.p. [Rare Plants or Animals]NoE.3.a. [Agricultural District]Yes

E.3.a. [Agricultural District] ONTA001

E.3.c. [National Natural Landmark] No
E.3.d [Critical Environmental Area] No

E.3.e. [National or State Register of Historic

Places or State Eligible Sites]

Digital mapping data are not available or are incomplete. Refer to EAF

Workbook.

E.3.f. [Archeological Sites] Yes
E.3.i. [Designated River Corridor] No