

Information on Grass Paver Parking area

To MOEGAMAND MORIA F

REPORT OF THE OFFICE OF

Call for immediate pricing or submit form for 24-hour Quote.

PRICING + INFO

**CALL 855-355-GRID** 

**WORKING ON A RESIDENTIAL PROJECT?** 

TRUEGRID FOR HOMEOWNERS

DELIVERED

PRICE

Call for delivered price to your job site or for local availahility

LEARN MORE

CUSTOMER

FIRST Call or email and our engineers or customer team will he hanny to

100% TRUE

We guarantee best-inclass USA manufacturing and

**PRODUCTS** 

**GET AN ESTIMATE** 

**ABOUT** 













U.S. Patents 8,734,049, 9,617,698, D792,987, 9,670,624, 10,072,383, 9,909,266, 9,909,264 | US and Foreign Patents Pending | Copyright ©2022 Airlite Plastics Company & TRUEGRID® Pavers. All Rights Reserved.

#### **Eggt: Calcatility**

Exceeds H20/ HS20

rating **Material** 

Recycled High Density

Polyethylene (100% post-

Color consumer) Black with UV Stabilizer

#### Temperature Range

Dimensionally Stable for -58F to 194F ADA Compliant

Yes

#### Environmental

#### Compatibility

non-toxic, harmless to plants, animals, and Installation Speed microorganisms. Inert 1,000 sf per man hour material, groundwater

#### Pre-Assembled

16 sf (4'x4') sheets (4 grids per sheet) Pallet Content

672 sf = 42 sheets per

pallet = 168 grids Pallet Dimensions

48" x 48" x 48"

#### Approximate Pallet

Weight

472 lbs Truckload

48 pallets or 32,256 sf

#### egger capatility

Exceeds H20/ HS20

rating **Material** 

Recycled High Density
Polyethylene (100% postColor
consumer)
Black with UV Stabilizer

#### Temperature Range

Dimensionally Stable for -58F to 194F ADA Compliant

Yes

#### Environmental

#### Compatibility

non-toxic, harmless to plants, animals, and **Installation Speed** microorganisms. Inert 1,000 sf per man hour material, groundwater

#### Pre-Assembled

16 sf (4'x4') sheets (4 grids per sheet) Pallet Content

800 sf = 50 sheets per pallet = 200 grids

Pallet Dimensions

48" x 48" x 95"

#### Approximate Pallet

#### Weight

1,082 lbs per pallet **Truckload** 

24 pallets or 19,200 sf

#### eggte Cateatility

Exceeds H20/ HS20

rating **Material** 

Recycled High Density
Polyethylene (100% post-Color consumer)
Black or Grey with UV

Stabilizer Temperature Range

Dimensionally Stable for -58F to 194F

Yes

#### Environmental

ADA Compliant

#### Compatibility

non-toxic, harmless to plants, animals, and **Installation Speed** microorganisms. Inert 1,000 sf per man hour material, groundwater

#### Pre-Assembled

16 sf (4'x4') sheets (4 grids per sheet) Pallet Content

672 sf = 42 sheets per pallet = 168 grids Pallet Dimensions 48" x 48" x 48"

#### Approximate Pallet

Weight

472 lbs **Truckload** 

48 pallets or 32,256 sf

parking? We have the permeable paver that fits your application.

**PRO LITE** 


PRO PLUS®


**ROOT**<sup>TM</sup>

NEW!









LEARN MORE

LEARN MORE

LEARN MORE

Residential / Lite Commercial

Pathways and Bike Trails

Grass Pavement

Residential Driveways Dimension

24" x 24" x 1" (4 sf)

Cell Width

3-3/16"

Weight

2.53 lbs per grid

Permeability

100%

Compressive Strength

Over 6,200 psi with

Commercial Use

SuperSpot Compatible

Parking Lots

Heavy Loads

Dimenson

24" x 24" x 1.8" (4 sf)

Cell Width

3-3/8"

Weight

5.22 lbs per grid

Permeability

100%

Compressive Strength

Over 8,000 psi with

Grass stabilization without excavation.

Grass Parking and Access Roads

Grass Pavement

Installs over existing Dimension

24 x 24 x 1 (4 sf)

Cell Width

3-3/16"

Weight

2.53 lbs per grid

Permeability

100%

Compressive Strength

Over 6,200 psi with

# THE WORLD'S STRONGEST PERMEABLE PAVERS

**PRODUCTS** 

**PROJECTS** 

GET AN ESTIMATE RESOURCES Q

## RID PRODUCT LINE

### There is nothing on the road too heavy for TRUEGRID to handle.

Got heavy loads or need help with stormwater management? Trucks, rigs, or a high volume of automobiles? Commercial, industrial or retail site? Roadway, truck yard or parking lot? Need to delineate your