NOTES: 1. SUB-BASE DEPTH AND PREPARATION IS DEPENDENT ON SITE CONDITIONS PLUS LOADING REQUIREMENTS. 2. SEEDING METHOD: FILL SOIL/GROWING MEDIA TO TOP OF GRID. APPLY SEEDING OR HYDROSEEDING PER MANUFACTURERS' (BY OTHERS) REQUIRED APPLICATION RATES. 3. SOD INSTALLATION METHOD: UNROLL AND PRESS SOD INTO EMPTY GRID SO TOP OF GRID IS AT SOIL/ROOT LEVEL AND ONLY THE GRASS BLADES EXTEND ABOVE THE GRID. 4. FOR HIGHER TRAFFIC INSTALLATIONS, RECESS SOIL LEVEL WITHIN TRUEGRID AND SEED OR PRESS IN SOD SO THAT TOP OF GRID IS AT SOIL LEVEL. 5. GEOGRID MESH OR GEOFABRIC MAY BE REQUIRED BETWEEN SUBGRADE & SUBBASE FOR CERTAIN SOILS AND SITE SPECIFIC REQUIREMENTS. 6. TRUEGRID PRO LITE PRODUCTS ARE SUFFICIENTLY RATED FOR LOW TRAFFIC H-20/HS-20 LOADING. 7. NO STAKING TYPICALLY NECESSARY WITH TRUEGRID PRO LITE WHEN SLOPE IS BELOW 20 DEGREES, ASSESS PROJECT AS NEEDED. 8. TRUEGRID PRO LITE IS ADA COMPLIANT WITH PROPER FILL MATERIAL. 9. ALTERNATIVE ENGINEERED SUB-BASE MIXES CAN BE USED PROVIDED THEY PROMOTE GRASS GROWTH, HAVE ADEQUATE TRUEGRID BLOCK REFERENCE VIEW VOID SPACE FOR DRAINAGE, AND PROVIDE REQUIRED STRUCTURAL SUPPORT. PREASSEMBLED & DELIVERED 10. THIS CROSS SECTION IS FOR INFORMATION ONLY. IN 4' X 4' SHEET. RECONFIGURED AS NEEDED. NO EXTRA TOOLING OR ACCESSORIES REQUIRED TRUEGRID PERMEABLE PAVING SYSTEM -TOPSOIL/GROWING -GRASS (SEEDED OR SODDED) WITH ONLY ENGINEERED SUB-BASE:
COMPACTED 3/4" MINUS SANDY-GRAVEL BASE
MATERIAL. COMMON - ROADBASE FROM MEDIA OR SOD ROOT -ADJOINING FINISH GRADE TRUEGRID GRASS BLADES ABOVE SURFACE FLUSH OR SLIGHTLY MASS TO TOP OF GRID NON-RECYCLED SOURCES GRID RECESSED SEE DRAWING TG-EDGE-OPTS FOR EDGING OPTIONS 1.0" SAND/GRAVEL BASE MIX COMMON WITH GRASS FILL APPLICATIONS 6.0" MIN -GEOGRID MESH **PREPARED** OR GEOFABRIC **SUBGRADE OPTION LOCATION:** SEE NOTE #5 **GRASS FILL - HEAVY LOAD CLIENT / PROJECT APPLICATION EXAMPLES:** Sustainable Sofusions Fox GRID° BLOCKS. UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES **APPROVAL DRIVEWAYS INFORMATION** PROPRIETARY DESIGN RIGHTS NOTICE: THIS DESIGN WAS ORIGINATED BY AND IS **MANUFACTURED IN RV PADS** THE EXCLUSIVE PROPERTY OF TRUEGRID. NORTH AMERICA IT IS DISCLOSED IN CONFIDENCE TRUEGRID PRO LITE **OVERFLOW PARKING** WITH THEUNDERSTANDING THAT NO 2/22/2020 J. Thethy REPRODUCTIONOR OTHER USE OF THE **GRASS FILL** INFORMATION ISAUTHORIZED WITHOUT CW 9/3/2020 JT **HEAVY LOAD** 01 UPDATED NOTES, FLAG NOTES SPECIFIC AGREEMENT IN WRITING BY 2/22/2020 J. Thethy 1-855-355-GRID (4743) SIZE | DRAWING NUMBER: DATE **APPROVED** CHECKED **REV** DO NOT SCALE DRAWING C. White 2/22/2020 TGFB-LTE-GRS-HL REVISION FILE I.D.: SCALE 1:2 SHEET 1 OF 1