

Science News

from research organizations

Ash tree species likely will survive emerald ash borer beetles, but just barely

Date: September 9, 2019

Source: Penn State

Summary: 'Lingering ash.' That's what the US Forest Service calls the relatively few green and white ash trees that survive the emerald ash borer onslaught. Those trees do not survive by accident, and that may save the species, according to researchers, who conducted a six-year study of ash decline and mortality.

Share: [!\[\]\(17413706fd4997a1a4bdf85c6864eee1_img.jpg\)](#) [!\[\]\(f419710cbe076aa30a9c6c031b5cbe84_img.jpg\)](#) [!\[\]\(2726020a4107bdc9042b257034f90eb3_img.jpg\)](#) [!\[\]\(9459655bf14a84f4d775e8d814cca8c9_img.jpg\)](#) [!\[\]\(de47dbdca34225b222a4a87ac0e499b3_img.jpg\)](#)

FULL STORY

"Lingering ash." That's what the U.S. Forest Service calls the relatively few green and white ash trees that survive the emerald ash borer onslaught. Those trees do not survive by accident, and that may save the species, according to Penn State researchers, who conducted a six-year study of ash decline and mortality.

The research shows some ash trees have varying degrees of resistance to the strangely beautiful, invasive beetle from Asia. The study is unique because it took place at a plantation of ash trees planted on Penn State's University Park campus in the mid-1970s.

"We found that genetic variation exists in trees from around the country, and through time -- especially as the emerald ash borer population collapses because host trees are rapidly disappearing -- the resistance that we observed will likely ensure the survival of the species," said Kim Steiner, professor of forest biology, College of Agricultural Sciences. shredded

Genetics moderated the rapidity with which emerald ash borers injured and killed trees, researchers learned. This suggests that some ash genotypes, especially on favorable sites, will survive.

Steiner, who also is director of The Arboretum at Penn State, collected seeds from wild green ash trees in 27 states and Canadian provinces in the fall of 1975. He grew the seedlings for two years before methodically planting 2,100 of them, all 12 feet apart, in a seven-acre plot. Mixed in were a small number of white ash trees.

Steiner conducted a provenance trial -- moving trees that had evolved in different climates to one location and carefully monitoring their growth and other characteristics -- with the goal of understanding how species adapt to their environments. over the last few decades, researchers maintained the plantation to study the effects of climate change on trees.

This little-known ash plantation off Porter Road near the Penn State's Swine Research Facility -- the largest collection of green ash germplasm in one location in the world -- may play a role in saving the species.

"We began measuring the decline in 2012, shortly after emerald ash borers arrived in the plantation, and we measured it every year through 2017," said Steiner. "The effect of the insect was devastating. As of August of this year, only 13 trees remained of the 1,762 that were alive when the emerald ash borer arrived." Although final destruction was nearly complete, genetics moderated the rapidity with which emerald ash borers injured and killed trees, noted Lake Graboski, Steiner's assistant, who earned a master's degree in ecology at Penn State.

"This suggests that some ash genotypes, especially on favorable sites, will survive with lower densities of emerald ash borer beetles on the landscape," he said.

The fact that some trees survived longer means there are heritable genetic differences among trees from different populations and seed parents, Steiner added.

"For the first time, this study demonstrated that there is genetic variation that could be captured in a breeding program to improve resistance to emerald ash borer in both white ash and green ash species," he said.

There are three kinds of resistance to insects commonly exhibited by trees, Steiner explained, and more research will be needed to determine which ones the ash trees may be deploying. One is avoidance, when a tree doesn't attract the adult females that are flying between the trees as they look for a place to lay their eggs. A tree may accomplish this by not emitting a chemical signal the insects are homing in on.

The second is surviving attack. Adults lay insect eggs on a tree, the larvae hatch and the insects grow into adulthood, all the while causing damage, but the tree is vigorous enough to withstand that injury.

The third mode of resistance involves the tree producing compounds -- or alternately, not producing compounds -- that reduce the likelihood the larvae will survive to adulthood, either by actively killing the larvae or by not offering the nourishment they need.

The irony of addressing a modern-day ecological disaster, such as the emerald ash borer invasion, with research done in a 43-year-old experimental plantation intended to serve an entirely different purpose, was not lost on Graboski.

"Dr. Steiner planted those ash trees long before I was born, and the ultimate fate of the ash species may not be decided in my lifetime because the trees must evolve to survive attacks by the invasive beetles," said Graboski. "That is just the reality of working with trees."

The U.S. Department of Agriculture's National Institute of Food and Agriculture supported this research.

Story Source:

Materials provided by **Penn State**. Original written by Jeff Mulhollem. *Note: Content may be edited for style and length.*

Journal Reference:

1. Kim C. Steiner, Lake E. Graboski, Kathleen S. Knight, Jennifer L. Koch, Mary E. Mason. **Genetic, spatial, and temporal aspects of decline and mortality in a Fraxi-**

Cite This Page:

MLA

APA

Chicago

Penn State. "Ash tree species likely will survive emerald ash borer beetles, but just barely." ScienceDaily. ScienceDaily, 9 September 2019.
<www.sciencedaily.com/releases/2019/09/190909170754.htm>.

RELATED STORIES

Emerald Ash Borer: How Cities and Towns Can Prepare for Invasion

Feb. 6, 2018 — In Pennsylvania, where emerald ash borer has been present since 2007, municipalities have found successful ash-management plans under guidance of the state's Department of Conservation and ... **read more »**

Ash Tree Genome Aids Fight Against Disease

Dec. 26, 2016 — Researchers have successfully decoded the genetic sequence of the ash tree, to help the fight against the fungal disease, ash dieback. Tens of millions of ash trees across Europe are dying from the ... **read more »**

Screening Technique to Reinforce Fight Against Ash Dieback

Jan. 13, 2016 — A pioneering study opens up a new front in the battle against a disease affecting ash trees across Europe. The research identified genetic markers to predict whether specific trees in populations of ... **read more »**

Emerald Ash Borer Confirmed as Threat to White Fringetree

Jan. 15, 2015 — The emerald ash borer, an invasive insect pest from Asia that has killed millions of ash trees in the United States and Canada, is also attacking the white fringe-tree according to a new ... **read more »**

FROM AROUND THE WEB

Below are relevant articles that may interest you. ScienceDaily shares links with scholarly

publications in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Have you encountered barriers to providing medication-assisted treatment to your patients with opioid use disorder? 

PEAR-MKT-056 2019_11

\$1M USDA Funding to Fight Coffee-ravaging Beetle 

GenomeWeb, 2013

Researchers Receive \$3.7M NSF Grant for Hardwood Tree Genomics 


GenomeWeb, 2011

How might you make opioid use disorder therapy more accessible at the right moments for your patients? 


PEAR-MKT-056 2019_11

What if you were able to offer your patients with opioid use disorder a tool that could better assist you in your treatment efforts? 

PEAR-MKT-056 2019_11

Can a prescription digital therapeutic help close treatment gaps for your patients with opioid use disorder? 

PEAR-MKT-056 2019_11

For your patients with opioid use disorder, each moment alone represents a choice. What if you could offer them 24/7 access to support in making the right choices? 

PEAR-MKT-056 2019_11

What if you could offer your patients with opioid use disorder on-demand cognitive behavioral therapy lessons that are accessible via their smartphone? 

PEAR-MKT-056 2019_11

Powered by **TREND MD**



Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

 [Email Newsletters](#)

 [RSS Feeds](#)

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

 [Facebook](#)

 [Twitter](#)

 [LinkedIn](#)

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Staff](#) | [Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Editorial Policy](#) | [Terms of Use](#)

Copyright 2020 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners.

Content on this website is for information only. It is not intended to provide medical or other professional advice.

Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.